



BLIZ

WALL MOUNTED | CEILING MOUNTED | BOLLARDS

PRODUCT CODE

PROJECT

TYPE

PERFORMANCE
in LIGHTING

powered by
GEWISS



Company

Performance in Lighting USA, located in Conyers, GA, is part of an international group of companies headquartered in Verona, Italy.

The group was formed from a number of well-established technical lighting companies from various countries. Performance in Lighting has a wide sales and distribution network operating in over 100 countries worldwide. Production facilities are located in Verona Italy, Bergamo Italy, Goslar Germany, Brussels Belgium, Conyers GA USA. Sales/distribution subsidiaries are located in England, Holland, France, Finland, Spain, Portugal, Australia, Dubai and Japan.

Recognized for its unique professional approach and technical know-how, Performance in Lighting has combined its international experience and technical expertise to become a worldwide leader in its industry. The group offers various lighting solutions worldwide for many applications including interior, exterior, residential, commercial, and sports lighting providing options to satisfy both architectural and engineering requirements.

Performance in Lighting USA concentrates on specification grade luminaires designed to provide a vast array of lighting solutions. Our concentration is outdoor products for illuminating commercial spaces from structural facades to parking areas. We strive to meet the demands of today's lighting community offering made in USA products, European designed with clean, contemporary aesthetics along with aggressive price points and fast lead times.

Pronto Program


PERFORMANCE IN LIGHTING offers a wide range of quick ship fixtures through the Pronto Program and a host of options to fit within the unique budget of your next project.





Overview

Click the QR-code for latest information.



Website

Please visit our web site www.performanceinlighting.com/us/us/ for the latest updated versions available.



5-year warranty

All products are covered by a 5-year warranty, provided that they are used and maintained according to instructions. Focus on quality, safety and product lifetime/longevity are the essential objectives of PERFORMANCE IN LIGHTING. For additional information, email info.usa@pil.lighting


It's all about uniformity

The value of the BLIZ along with attributes such as shape options of a round, square, rectangle; 0-10V dimming, integral EM, HF Occupancy sensor, allows this product family to be integrated into today's commercial projects with ease.

Today's construction and design communities demand confidence in quality and options for stringent code compliance. The BLIZ offers unshielded lighting solutions and options which clear the path and make it easy to conform to local codes. Signage options can be added directly on to the glass lens, or, can be laser cut into the various faceplates of the rectangular series.

The Post option of the rectangular range allows the design to be carried further into pathways, parks, and city centers. The Grid options, along with our 10-year warranty on the BLIZ glass, make this product one of the most rugged but at the same time most aesthetically pleasing in the industry.





Residential tower de verkenner | Utrecht | Netherlands

BLIZ

Design-coordinated ceiling-, wall-, and post-mount (BLIZ) series. Fixtures consists of:

Construction

- Multi-step powder-coat painting process, optimized against UV rays and corrosion.
- Copper-free die-cast aluminum housing, ring, and faceplates.
- Copper-free aluminum extruded post (BLIZ rectangle only).
- Custom MCPCB utilized to maximize heat dissipation and promote long LED life.
- High transmittance, internally coated, pressed glass diffuser, thermally, and chemically quenched to strengthen the impact resistance and reduce the effect of rapid temperature changes.
- Custom molded, anti-aging gasket(s).
- Stainless steel external hardware.

Installation

- BLIZ overall size of H5.2" x L10.3"; depths vary depending on faceplate: standard/Ring (3.7"), Guard (4.2"), Visa (3.9"), Visa V (3.9") faceplate. BLIZ ROUND is available in two standard sizes of Ø11.9" (ROUND 30) and Ø15.8" (ROUND 40). BLIZ SQUARE 40 overall size of 14" x 14" with standard/Ring D3.5" or Grid D4"(GRILL). BLIZ OVAL overall sizes of H9.8" x L14.8" x D5".
- Tilttable LED board mounting bracket allows for quick and easy installation (BLIZ rectangle only).

Optics

- 100% uniform diffused light emission.

Electrical

- Input voltage: 120-277 V (50 / 60 Hz), integral 0-10 V dimming driver.
- Optional, integral, high-frequency motion-sensor operating at a frequency of 5.8 GHz +/- 75 MHz (HF versions).
- Optional, integral, emergency battery-pack designed for a minimum operation of 90 minutes (EMPK versions).

Options

- The luminaire may be configured with numerous options and multiple standard finishes. Not all options are available in all configurations. Consult factory for more information about specification sheet details.

Listings

- UL Wet location listed. IP65 rated.
- Product meets Buy American Act (BAA) requirements within ARRA.
- ADA compliant.
- Consult factory for which version qualifies for the PRONTO-SHIP program. All Rough-Ins are available to ship within 48-72 hrs. Orders must be marked "PRONTO."
- Photometric data measured according to UNI EN 13032-1/4 and IES LM-79-08
- Actual performance may differ as a result of the end-user environment and application. All values are design or typical values, measured under laboratory conditions at 25 °C. Specifications are subject to change without notice.

Warranty

- 10-year glass warranty.
- 5-year limited warranty. Complete warranty terms located at www.performanceinlighting.com




BLIZ SQUARE 40



BLIZ



BLIZ ROUND



BLIZ OVAL



100% uniform diffused light emission.



High transmittance, internally coated, soda-lime pressed glass diffuser, thermally and chemically quenched to strengthen the impact resistance and reduce the affect of rapid temperature changes.



Design-coordinated ceiling-, wall-, and post-mount (BLIZ) series.



Design-coordinated ceiling-, wall-, and post-mount (BLIZ) series.





BLIZ overall size of H5.2" tall x L10.3"; depths vary depending on trim: Guard (4.2").



BLIZ overall size of H5.2" tall x L10.3"; depths vary depending on trim: Visa (3.9").



BLIZ overall size of H5.2" tall x L10.3"; depths vary depending on trim: Visa V (3.9").





Residential building De Bever | Heerhugowaard | Netherlands


BLIZ ROUND / SQUARE 40



100% uniform diffused light emission.




High transmittance, internally coated, soda-lime pressed glass diffuser, thermally and chemically quenched to strengthen the impact resistance and reduce the affect of rapid temperature changes.






BLIZ OVAL




100% uniform diffused light emission.



Multi-step powder-coat painting process, optimized against UV rays and corrosion. Copper-free die-cast aluminum housing, ring, and faceplates.

High transmittance, internally coated, soda-lime pressed glass diffuser, thermally and chemically quenched to strengthen the impact resistance and reduce the affect of rapid temperature changes.





Apartment building De Boel | Amsterdam | Netherlands

PERFORMANCE
IN LIGHTING

powered by
GEWISS

PERFORMANCE IN LIGHTING
2621 Keys Pointe
Conyers, GA 30013 - United States
Ph 770.822.2115
Fax 770.822.9925

www.performanceinlighting.com