



CRICKET+ | INGROUNDS

PRODUCT CODE

PROJECT

TYPE

PERFORMANCE
in LIGHTING

powered by
GEWISS



Company

Performance in Lighting USA, located in Conyers, GA, is part of an international group of companies headquartered in Verona, Italy.

The group was formed from a number of well-established technical lighting companies from various countries. Performance in Lighting has a wide sales and distribution network operating in over 100 countries worldwide. Production facilities are located in Verona Italy, Bergamo Italy, Goslar Germany, Brussels Belgium, Conyers GA USA. Sales/distribution subsidiaries are located in England, Holland, France, Finland, Spain, Portugal, Australia, Dubai and Japan.

Recognized for its unique professional approach and technical know-how, Performance in Lighting has combined its international experience and technical expertise to become a worldwide leader in its industry. The group offers various lighting solutions worldwide for many applications including interior, exterior, residential, commercial, and sports lighting providing options to satisfy both architectural and engineering requirements.

Performance in Lighting USA concentrates on specification grade luminaires designed to provide a vast array of lighting solutions. Our concentration is outdoor products for illuminating commercial spaces from structural facades to parking areas. We strive to meet the demands of today's lighting community offering made in USA products, European designed with clean, contemporary aesthetics along with aggressive price points and fast lead times.

Pronto Program


PERFORMANCE IN LIGHTING offers a wide range of quick ship fixtures through the Pronto Program and a host of options to fit within the unique budget of your next project.





Overview

Click the QR-code for latest information.



Website

Please visit our web site www.performanceinlighting.com/us/us/ for the latest updated versions available.



5-year warranty

All products are covered by a 5-year warranty, provided that they are used and maintained according to instructions. Focus on quality, safety and product lifetime/longevity are the essential objectives of PERFORMANCE IN LIGHTING. For additional information, email info.usa@pil.lighting

CRICKET+

Earthy light

CRICKET + is earthy light: walk-over and drive-over elements, with an elegant and refined design made with the highest quality materials, guarantee professional lighting effects.

Robust recessed in-ground uplighters range, with a clean and essential design, to ensure flexible lighting solutions to emphasize any space's aesthetic value. These luminaires are ready to resist load, torsion, and impact accordingly to walk-over and drive-over contexts. Fixtures are made of high-quality components and materials to ensure reliability and longevity; the range is versatile and designed for easy installation and maintenance.

The new solid-brass version is suitable for seaside installation, ideal for saline and windswept settings (MARINE).

These architectural series also offer additional RGBW color mixing options for high emotional impact scenographic effects and dynamic Tunable White (TW) for smooth variations in color temperature in response to how a space is used.





CRICKET+

In-ground series. Fixtures consist of:

Construction

- Copper-free die-cast corrosion-resistant aluminum housing and trim.
- Copper-free die-cast corrosion-resistant aluminum AISI 316 stainless steel covered trim.
- High-transparency polycarbonate optics for optimized light transmission.
- Custom MCPCB utilized to maximize heat dissipation and promote long LED life.
- Custom molded, anti-aging gasket(s).
- Extra-clear, tempered, silk-screened, flat glass diffuser.
- Frosted, tempered, silk-screened, flat glass diffuser (C/EW versions).
- Stainless steel external hardware.

Installation

- Pre-wired factory sealed cable for external electrical connection included.
- For outdoor inground applications, provide drainage gravel at least 12" below the rough-in or a suitable drainage system.
- Each rough-in kit is provided with a protective faceplate to avoid possible deformations during the installation in concrete to simplify installation.
- Pre-wired cable connects luminaire with WATER-STOP connection system, suitable for through wiring. Included cable glands accept cables from Ø0.35" up to Ø0.63".
- Thermoplastic compression-molded rough-in kit to be ordered separately.

Optics

- Circular Intensive (C/I), Medium (C/M), diffuse (C/EW), Asymmetrical Medium (A/W), color mixing (RGBW), dynamic Tunable White (TW) optics, and light distributions.
- RGBW (4000K) color mixing for high emotional impact scenographic effects.
- Dynamic Tunable White (TW) options enable smooth variations in color temperature, from 2700K to 6500K, in response to how a space is used.

Electrical

- Input voltage: 120-277 V (50 / 60 Hz), integral driver (CRICKET+ 10), and 120-277 V (50 / 60 Hz), integral 1-10 V dimming driver (CRICKET+ 20/30). 48 V DC, separate driver for RGBW color mixing and dynamic TW models (ordered separately).

Options

- The luminaire may be configured with numerous options and multiple standard finishes. Not all options are available in all configurations. Consult factory for more information about specification sheet details to build your light.

Listings


- UL Wet location listed. IP67 rated.
- Product meets Buy American Act (BAA) requirements within ARRA.
- Photometric data measured according to UNI EN 13032-1/4 and IES LM-79-08
- Actual performance may differ as a result of the end-user environment and application. All values are design or typical values, measured under laboratory conditions at 25 °C. Specifications are subject to change without notice.

Warranty


- 5-year limited warranty. Complete warranty terms located at www.performanceinlighting.com



CRICKET+ 15



CRICKET+ 10




CRICKET+ 20


CRICKET+ 10 / 10 MARINE



High-transparency polycarbonate optics provide an optimized light transmission



Die-cast aluminium trim painted. Closing ring in AISI 316 stainless steel with satin finish (stainless steel versions). Closing ring in marine brass with polished finish (available as accessory).



Recessed housing manufactured from technopolymer. Order separately





The C/EW versions have a diffuser in flat, extra clear, tempered safety glass with acid-etched finish.




RGBW




Tunable White






CRICKET+ 10 | C/I 8° Circular Intensive optics



CRICKET+ 10 | C/M 30° Circular Medium optics



CRICKET+ 10 | C/EW 88° Circular Extra-Wide optics

CRICKET+ 15




High-transparency polycarbonate optics provide an optimized light transmission



Die-cast aluminium trim painted




Die-cast aluminium trim painted coated with AISI 316 stainless steel (versions INOX)



Technopolymer recessed casing available as an accessory to guarantee driveability and designed to favour water drainage through the WATER DRAIN system




RGBW







Residential and commercial complex | Parma | Italy



CRICKET+ 15 | A/M 30° Asymmetric Medium optics




CRICKET+ 15 | C/I 8° Circular Intensive optics



CRICKET+ 15 | C/M 30° Circular Medium optics

CRICKET+ 20



High-transparency polycarbonate optics provide an optimized light transmission




Die-cast aluminium trim painted



Die-cast aluminium trim painted coated with AISI 316 stainless steel (versions INOX)




Mains connection device WATER STOP







Hotel Don Carlos | Marbella | Spain



CRICKET+ 20 | A/M 30° Asymmetric Medium optics



CRICKET+ 20 | C/I 8° Circular Intensive optics



CRICKET+ 20 | C/M 30° Circular Medium optics

PERFORMANCE
IN LIGHTING

powered by
GEWISS

PERFORMANCE IN LIGHTING
2621 Keys Pointe
Conyers, GA 30013 - United States
Ph 770.822.2115
Fax 770.822.9925

www.performanceinlighting.com