
# **INSERT+ 1V GLASS**





Recessed wall steplight series. Fixtures consist of:

- ¬ Multi-step powder-coat painting process, optimized against UV rays and corrosion.
- ¬ Copper-free (<1%) precision die-cast aluminum housing and ring/faceplate.
- ¬ Frosted, tempered, silk-screened, flat glass diffuser.
- ¬ Custom molded, anti-aging gasket(s).
- ¬ Custom MCPCB utilized to maximize heat dissipation and promote long LED life.
- ¬ Screen-printed tempered glass front diffuser (GLASS options)
- ¬ To be used with a 24 V low-voltage driver (ordered separately, consult factory for more information).

- ¬ Pre-wired factory sealed cable for external electrical connection included.
- ¬ The luminaire may be configured with numerous options and multiple standard finishes. Not all options are available in all configurations. Consult factory for more information about specification sheet details to build your light.
- ¬ Stainless steel recessed rough-in kit to be ordered separately.
- ¬ 5-year warranty.
- ¬ Consult factory for any Buy American Act (BAA) or Build America Buy America Act (BABAA) requirements.












Standard finishes:

○ WH-87 / White / Textured

Lumen Output	3K	4K
INSERT+1 GLASS	160	167





Scan here for installation instructions



# Order Guide - INSERT+1V GLASS

Order code example:

I+1VG						
SERIES	Wattage	ССТ	Finish	Voltage	Controls	Accessories
I+1VG Insert+1 V Glass	5 5W* (max)	30K 3000K* 40K 4000K* RGBW RGBW	WH Textured White*	24V 24V Low-voltage only		RDR Remote LED Driver (One Per Fixture) 17097 RDRDIM Remote 0-10V LED Driver (1-15 Fixtures) 17029  BABAA Build America Buy America Act compliant (not available for all options)  RP For use with certain railing products, no rough-in or post included or required

\*STANDARD OPTION, SHORTER LEAD TIME, NO MOQ\*
80 CRI STANDARD - OTHER OPTIONS AVAILABLE


ROUGH IN INCLUDED WITH FIXTURE (unless noted) - CAN BE SHIPPED AHEAD



## **REQUIRED FOR INSTALLATION**

# INCLUDED WITH FIXTURE

DESCRIPTION	FINISH PART NUMBER
INSERT+ 1V GLASS	



#### NON-INTEGRAL INSTALLATION

## **Power Supply**



**17433** Kit driver 48V



17096 Kit driver 48V WP

#### **RF Controls**



3104173 RGBW RF controller 4 channel (0.35A each CH)



31041730 RGBW RF controller WP 4 channel (0.35A each CH)



**310429** RGBW hand held remote

#### **DMX Controls**



178973 RGBW DMX enabler/decoder 4 channel (0.35A each CH)



1789730 RGBW DMX enabler/decoder WP 4 channel (0.35A each CH)